

MADE IN ITALY




# MINISIRIO

VERTICAL PLATFORM LIFT WITH REDUCED HEADROOM

**extrōma**<sup>®</sup>  
solutions in motion





Its open cab with special low walls (height just 1.2 m) **solves the space problems generally found in lofts and attics.** MiniSirio can be installed either on a supporting wall, by means of special wall-mounted supports, or using a steel frame structure, allowing the unit to be installed anywhere in the home. Comfortable and very quiet, MiniSirio adds to your home's value and prestige.

With maximum travel of 14.5 metres, MiniSirio offers the user an excellent service in **absolute safety** and without interfering with the architecture of its installation area. MiniSirio's **electricity consumption is impressively low**, similar to that of an ordinary household appliance.

Special care is taken over details and finishing, which combine with the vast range of optional and colours available to allow the lift to be personalised to the customer's specific taste and requirements.

Its reliability in any weather conditions means that MiniSirio **can be installed on the inside or outside of buildings.**





#### Technical details

Max load capacity	385 kg
Maximum travel	14,5 m
Stops	6
Technical headroom	1600 mm min.
Maximum platform dimensions	1400x1100 mm
Top floor perimeter enclosures	for rises < 3000 mm: min. height 1200 mm for rises > 3000 mm: min. height 2000 mm or up to ceiling
Speed	0,10 m/s - 0,15 m/s
Power supply	220 V $\pm$ 5% – 50 Hz
Electrical consumption	1,5 - 2,2 kW
Pit	120 mm min.
Controls at floors	automatic
Controls in cabin	run to hold
Installation	indoors/outdoors







All information contained in this document have to be meant purely indicative.

**extrōma**  
solutions in motion

**Extrema S.r.l.**  
Via dell'Industria 2  
46031 Bagnolo San Vito (MN) - I  
Tel. (+39) 0376 252443  
Fax (+39) 0376 251091  
[www.extremalifts.eu](http://www.extremalifts.eu)





# MINISIRIO

Selection of colours & materials

## Doors



### Aluminium hinged doors

- + Also available with gate (upper floor)
- + White RAL 9010 or RAL 1013
- + Black RAL 9005
- + Silver
- + Anthracite
- + Insulated version available



### Steel hinged doors w/ window

- + RAL 7011 rust preventer
- + Stainless steel




### Steel hinged doors w/o window

- + RAL 7011 rust preventer
- + Stainless steel
- + EI 60/120 version available (RAL 7001 rust preventer)

**Note:** other RAL colours available on request.

## PVC cabin platform floors



PVC Grey



PVC Black



Aquamarine



Ivory white




Grey




Alu pattern

## Cabin wall and drive side guard



White cod. 411



Ivory White cod. 810



Pearl Grey cod. 475




Graphite Grey cod. 879


**Note:** other colours available on request.

## Structure and enclosures


### STEEL STRUCTURE



RAL 9010



RAL 1013




Anthracite


### ALUMINIUM ENCLOSURES



Silver




Black




Anthracite

### ALUMINIUM CLADDINGS FOR STRUCTURE AND ENCLOSURES



RAL 9010



RAL 1013



Silver



Anthracite

## Glass types for doors, structure and enclosures



Clear



White milk



Smoke grey



Bronze



Reflecting

All information contained in this document have to be meant purely indicative.

**extrema**<sup>®</sup>  
solutions in motion

Extrema S.r.l.  
Via dell'Industria 2  
46031 Bagnolo San Vito (MN) - I  
Tel. (+39) 0376 252443  
Fax (+39) 0376 251091  
www.extremalifts.eu

