

MADE IN ITALY




# MINISIRIO

VERTICAL PLATFORM LIFT WITH REDUCED HEADROOM

**extrōma**<sup>®</sup>  
solutions in motion





Its open cab with special low walls (height just 1.2 m) **solves the space problems generally found in lofts and attics.** MiniSirio can be installed either on a supporting wall, by means of special wall-mounted supports, or using a steel frame structure, allowing the unit to be installed anywhere in the home. Comfortable and very quiet, MiniSirio adds to your home's value and prestige.

With maximum travel of 14.5 metres, MiniSirio offers the user an excellent service in **absolute safety** and without interfering with the architecture of its installation area. MiniSirio's **electricity consumption is impressively low**, similar to that of an ordinary household appliance.

Special care is taken over details and finishing, which combine with the vast range of optional and colours available to allow the lift to be personalised to the customer's specific taste and requirements.

Its reliability in any weather conditions means that MiniSirio **can be installed on the inside or outside of buildings.**





#### Technical details

Max load capacity	315 kg
Maximum travel	14,5 m
Stops	6
Technical headroom	1600 mm min.
Maximum platform dimensions	1400x1100 mm
Top floor perimeter enclosures	for rises < 3000 mm: min. height 1200 mm for rises > 3000 mm: min. height 2000 mm or up to ceiling
Speed	0,10 m/s - 0,15 m/s
Power supply	220 V $\pm$ 5% – 50 Hz
Electrical consumption	1,5 - 2,2 kW
Pit	120 mm min.
Controls at floors	automatic
Controls in cabin	run to hold
Installation	indoors/outdoors







All information contained in this document have to be meant purely indicative.

**extrōma**  
solutions in motion

**Extrema S.r.l.**  
Via dell'Industria 2  
46031 Bagnolo San Vito (MN) - I  
Tel. (+39) 0376 252443  
Fax (+39) 0376 251091  
[www.extremalifts.eu](http://www.extremalifts.eu)

